

2.4MP Starlight Cameras

- ◇ Superior low light performance
- ◇ Back - illuminated CMOS Sensor: SONY IMX 124, IMX291
- ◇ Available for IPC, TVI, CVI, AHD

Starvis sensor



Conventional sensor



TVI, CVI, AHD

☆ 2.1MP: IMX291+HTC1080

IPC

☆ 2.1MP: IMX291 + Hi3516D

☆ 3.2MP: IMX124 + S2L



2.8mm Lens Cameras

2.8mm Fixed lens, 20m IR Led, Analog/ AHD/IP optional



SH20



HV20



SL20



R20



J20



CN20

4/8/16 Channel Tribrid HVR

HVR2604N / HVR2608N / HVR2616N

Tribrid: AHD/Analog/IP Adaptive

- ◇ AHD: 1080N, PAL@12fps max; NTSC@15fps Max
- ◇ Analog: 960H/D1, PAL@25fps Max; NTSC@30fps Max
- ◇ IPC: 720P, PAL@25fps Max; NTSC@30fps Max
- ◇ 1 SATA HDD (Max 4TB)



AHD / CVI / TVI Cameras



KHA-B100PL20D

Features:

- 1/4" OV 1.0MP CMOS, 720P, DNR
- 3.6mm Fixed lens
- IR-cut (auto switch to Day/Night mode)



KHA-B100CP20D

1.3MP Series

- SONY CMOS Sensor, 960P/960H,
- With IR-CUT, DWDR, 3D NR, Sense-up, OSD



2.0MP Series

- Sony/ OV CMOS Sensor, 1080P/960H,
- With IR-CUT, DWDR, 3D NR, Sense-up, OSD



HD 4-in-1 Cameras

Full HD 1080P

Sony Starvis/ Sony/ OV/ Pixart CMOS



One key to switch signal
(Press 5s ↑ / ↓ / ← / →)



KDSHV30



KBRD40

Micro Cameras



Pinhole Series



Spy Series

HD-IP Cameras



KIP-R20



New SMT IR Led

Dome Series



IP100SL20H
1MP, Fixed lens



KIP-130TC20H
1.3MP, Fixed lens



IP200W25SL
2MP, Varifocal lens

H.265 Starlight

- 4K/ 5MP/ 4MP/ 3MP/ 2MP/ 1.3MP/ 1MP
- SONY/OV CMOS, Hisilicon/ Ambarella processor

New technology:



Bullet Series



KIP-200J20A
2MP, Fixed lens



KIP-300CX25A
3MP, Fixed lens



KIP-500CF40H
5MP, Varifocal lens

Wifi Kits



4CH WIFI NVR & WIFI IP Camera Kit

- H.264, Onvif / Private protocol, Wifi, P2P
- 20m IR Cameras, no obstacles max 100m

HD NVRs



H.265 9CH/ 36CH HD NVR

- Recording: 4K/5M/4M/3M/1080P/960P/720p
- 2 SATA Hard Disk Interface (Up to 12TB)



Fisheye IP camera



IP Technology & Partners:



Support monitoring by:



Big IR Led Cameras



TB30

IR LED: 20μ X 2PCS
IR range: 30M
3.6mm Fixed lens



DR20

IR LED: 18.5μ x 2PCS
IR range: 20M
6mm Fixed lens



RG40

IR LED: 42μ x 2PCS
IR rang: 40M
6mm Fixed lens



CW60

IR LED: 42μ x 4PCS
IR range: 60M
6mm Fixed lens



L90

IR LED: 42μ x 4PCS
IR Range: 90M
6mm Fixed lens

3X / 4X Auto Zoom Cameras

- Available for HD-IPC, HD-TVI, AHD
- SONY 1080P 2.4MP
- 2.8-12mm Auto Zoom Lens
- 2.8-8mm Auto Focus Lens



CY40, 2.8 - 8mm, 40M. AHD



CZ40, 2.8 - 12mm, 40M. IPC



1X



2X



3X



4X

Speed Dome Cameras

HD IP/ AHD/ CVI/ TVI/ Analog available

- Weatherproof Outdoor IP66
- Sony / Panasonic / OmniVision / Aptina CMOS
- 10X / 18X / 20X / 22X / 36X Optical Zoom
- Night vision 50m / 60m / 100m / 120m optional
- Protocols: TCP/IP, HTTP, FTP, RTSP
- IP technology: Onvif, P2P

