



New Product Announcement

PowerG + Vanishing Contact

Date:	Friday, September 19, 2025
Region:	EMEA
Product:	PowerG + Vanishing Contact
Brand:	DSC, Visonic, and Bentel



Overview

We are pleased to announce the launch of the PowerG + Vanishing Contact. The PowerG + Vanishing Contact incorporates the next generation of PowerG technology and also includes many enhancements to the device itself, including over the air (OTA) upgrades, battery level reporting, and a brand new look and feel.

The new vanishing contact will gradually replace the previous models MC-303 / BW-303 / PG8303 and may not be immediately available in selected EMEA regions and territories. Please contact your sales representative for more information.



Features and Benefits

Feature	Benefit
Battery Level Reporting*	Batteries now report their current battery level to the panel where technicians can view the current voltage in the Advanced Settings menu.
Device OTA*	Devices support over the air upgrades.
Dealer Lockable Sensors*	Dealers have the option to lock down sensors to their dealer ID, preventing them from being taken over.
Two-factor Authentication Enrollment*	When enabled, this is an added layer of security where the device follows two factor authentication, requiring the technician to enter the device PIN code on the panel to complete enrollment.
Battery Pull Tab	Once the pull tab is removed, the device enters pairing mode, saving valuable time during the install.
Modern Look and Feel	The look and feel is more modern and more visually appealing. The device comes in a white matte finish.
Full Length Magnet	A full-length magnet enhances reliability by providing a stronger and more consistent magnetic field, significantly reducing the likelihood of false alarms. Additionally, it offers better alignment tolerance and greater flexibility in placement during installation.

*Only PowerG + enabled panels support the new PowerG + features. Devices enrolled on panels that are not PowerG + enabled will enroll in legacy (fallback) mode as a PowerG Vanishing Contact.



Ordering Information		
Model	Description	Carton quantity
0-104065	MC-303 P8M0 PowerG + Vanishing Contact (Visonic)	48
0-104066	MC-303 P8M1 PowerG + Vanishing Contact (Visonic UK)	48
0-104067	BW-303 P8M2 PowerG + Vanishing Contact (Bentel)	48
PGP8303	PowerG + Vanishing Contact (DSC)	48

Compatibility*

- IQ4 Panel
- IQ4 NS
- IQ4 Hub
- IQ2 Panel
- IQ Pro
- IQ Hub
- PowerMaster**
- PowerSeries NEO***
- PowerSeries Pro***
- WP80xx Panels***
- BW Panels****
- Absoluta Plus****

* Only PowerG + enabled panels support the new PowerG + features. Devices enrolled on panels that are not PowerG + enabled will enroll in legacy (fallback) mode as a PowerG Vanishing Contact.

** only models 0-104065 and 0-104066

*** only model PGP8303

**** only model 0-104067



Approvals and certifications

EN 300220 EN 301489 EN 50130-4 EN 50130-5 EN 61000-6-3
EN 62368-1 EN 50131-1 EN 50131-5-3 EN 50131-2-6 Grade 2, Class II EN 50131-6 Type C

NOTE: In the UK it is suitable for use in systems installed to conform to PD6662 at Grade 2 and environmental class II, DD243 and BS8243

Contact Information	
Order Entry	bts-emea-sec-orders@jci.com
Sales	Contact your local sales rep.
Technical Support	EMEA - Local: +31 475 352 722 EMEA - Toll Free: 800-22558926 or email: intrusion-support@jci.com
Product Manager	Muggs Young muggs.young@jci.com